



**Club Car Carryall ROPS Cab
Complete Cab Assembly
p/n: 47587415001
compatible with Carryall models 300, 500, 550, and 700**

The contents of this manual are the property of the owner.
Be sure to leave with the owner when installation is complete.



CAB COMPONENTS AND OPTIONS:

- **47587415003**..... Kit, Cab, Basic, Curtis
- **47690985001**..... Kit, 2P Doors & Rear Window, Curtis
- **47690985001**..... Kit, Windshield, AS1, Curtis
- **47587416001**..... Kit, Mirror, Interior, Curtis
- **47587417001**..... Kit, Mirror Set, Side, Curtis
- **47587420001**..... Kit, Console, Overhead, Curtis
- **47587420002**..... Kit, Console, Overhead W/O Fans, Curtis
- **47587421001**..... Kit, Dome Light, Curtis*
- **47587418001**..... Kit, Beacon, Curtis*
- **47587419001**..... Kit, Work Light, Front, Curtis*
- **47587419002**..... Kit, Work Light, Rear, Curtis*
- **47693131001**..... Kit, Windshield Washer, Curtis*



* Requires 47587420001 or 47587420002 (Overhead Console)

Approximate Installation Time *
Experienced Dealer Technician – 3 Hours
Average Dealer Technician – 3.5 Hours
Do-It-Yourself – 4 Hours






BEFORE YOU START:

- Read and understand all instructions before beginning.
- To assist with the cab installation, leave all bolts loose for later adjustment unless otherwise specified.
- Use caution to avoid damaging the factory installed threaded inserts. Begin the bolt engagement by hand to guard against potential cross threading.


SERVICE PARTS:



8SV-107-00031-R
DOOR RIGHT




CONTINUED ON PAGE 3

SERVICE PARTS:

**HINGE SPACER
BLOCKS (QTY:2)**



**1" Dome Plugs
(QTY:2)**



8SV-9PWM110-SA
Wiper Motor, 110°




9PWA14/16
Wiper Arm, 14-16"



9PWB20-FB
Wiper Blade, 20" Flex




Arch Rubber
2 PCS, 4" Long, 2 PCS, 6" Long
9SV-PRO9-10 (10-Foot Length)



9SV-9DL-158
Tilt Bed Warning Decal




**8" Wire tie
(QTY:2)**



8SV-CA16-B4
TAIL PIPE EXTENSION

1" Hose Clamp

8SV-SNCA
CARGO NET




QTY: (6) Push Nut for 5/16"
QTY: (3) 1/4" x 3/4" Plastic Pine Tree Clip
9SV-CACNHWK
CARGO NET HARDWARE KIT

1/2" x 9/16" Foam Rubber
2 PCS, 31" Long
9SV-PR43-4 (4-Foot Length)



1/2" V-Groove Weather Seal
2 PCS, 50" Long
9SV-PR20-10 (10-Foot Length)




2" Foam Tape
2 PCS, 4" Long,
2 PCS, 4-1/2" Long
9SV-PR35-5 (5-Foot Length)




9SV-9DL-186
Gas/Fire Warning Decal

QTY: (2)
3/8-16 x 1-1/4"
Button Head Bolt



QTY: (4)
1/4-20x 2-1/4"
Flanged Hex Bolt

QTY: (6)
5/16-18 x 1"
Flanged Hex Bolt



CA-HWK-A


QTY: (2)
3/8" SAE Flat Washer



QTY: (8)
1/4" x 1"OD
Fender Washer



QTY: (24)
5/16-18 x 3/4"
Flanged Hex



QTY: (18)
5/16-18 Flanged Lock Nut




QTY: (4)
1/4-20 Flanged Lock Nut




9SV-CAHWK
CARRYALL HARDWARE KIT

QTY: (4)
5/16-18 x 1-1/2"
Flat Head Bolt



QTY: (4)
5/16-18 x 3/4"
Flanged Hex



QTY: (8)
5/16-18 Flanged Lock Nut



9SV-CAWSHWK
WINDSHIELD HARDWARE KIT

9SV-PWKHB

Glass Mounting Kit for Wiper Systems
(See IM-9PWK for contents)

QTY: (4)
5/16-18 x 1-1/2"
Flat Head Bolt




QTY: (4)
5/16-18 Flanged Lock Nut


9SV-HWK-00042
REAR WINDOW HARDWARE KIT

ADDITIONAL SERVICE PARTS:


- **9SV-HWS** Glass Hinge Kit with bushing and spacer blocks, (set of 2)
- **8SV-CA10-B4** Windshield Latch & Bracket Assembly, Single Post (set of one left and one right)
- **9SV-GS02A** Ball Studs, 10mm (bag of 10)
- **9SV-DSTRH** Door Striker hardware
- **9SV-WH-00044** Frame Wire Harness
- **9SV-WH-00045** Wiper Wire Harness
- **9SV-PRO2-15** Standard Bulb Rubber, (5/8"), 15-Foot Length
- **9SV-PR38-15** 3/4" Side Bulb Rubber 1/4" grip, 15-Foot Length
- **8SV-CA01P** Plastic Roof Panel
- **8SV-CA01M-B4** Metal Roof Panel
- **9SV-WL2** Fully Opening Glass Latch Kit with bushing and spacer blocks, set of left/right
- **9SV-GSM** Gas Shock Mount for Glass, set of 2
- **9SV-HSLP** Hinge Set with 1 each left and right hinge pins and 2 sleeves
- **9SV-OHRLCC** Outer Door Handle, set of 2
- **9SV-DL02** Door Latch kit, non-locking w/ grab handle (set of left/ right)
- **8SV-CA11-B4** Door Latch Mounts (set of left/right)
- **8SV-SWCAL** Sliding Window, Left, with rubber
- **8SV-SWCAR** Sliding Window, Right, with rubber
- **8SV-CADRLW** Lower Door Window with rubber
- **9SV-PR10-10** Window Mounting Rubber, 10-Foot Length
- **9SV-PR17-20** 3/4" Side Bulb Rubber 1/16" grip, 20-Foot Length
- **9SV-DP02** Dome Plug 1" (QTY 15)




9SV-PR1
SEAT BELTS, RETRACTOR
& LATCH (1 OF EACH)



9SV-GSCARW
GAS SHOCKS
(for Rear Window)
20" length, set of 2,
180N and 45N



9SV-GS05
GAS SHOCKS
(for Doors)
14-1/2" length, set of 2,
both 100N




QTY: (6)
7/16-20x 1"
Hex Bolt



QTY: (6)
7/16-20
Lock Nut



QTY: (2)
7/16" SAE Flat
Washer



QTY: (2)
Seat Belt
Angle Bracket



QTY: (2)
7/16" x 2"OD
Seat Belt Washer

9SV-HWK-00039
SEAT BELT HARDWARE KIT



**ROLL-OVER
PROTECTIVE
STRUCTURE:**

47587415001
47587415002
47587415003

To maintain seat-belted occupant protection and ROPS certification: • Replace damaged ROPS, do not repair or reuse. • Any alteration of ROPS must be approved by manufacturer.

CERTIFICATION

ROPS - ISO 3471

CLUB CAR
CARRYALL MODELS
& MAXIMUM MASS:

300 - 864 kg
500 - 956 kg
550 - 1044 kg
700 - 1361 kg



9SV-9DL-213
ROPS Certification Decal