

**Club Car Carryall**  
**Driving Range Enclosure**  
**p/n: 47587415002**  
**compatible with Carryall models 300, 500, and 700**

The contents of this manual are the property of the owner.  
 Be sure to leave with the owner when installation is complete.



**APPROXIMATE INSTALLATION TIME:** 3 hours for full cab (not including accessories)

**BEFORE YOU START:**

- Read and understand all instructions before beginning.
- To assist with the cab installation, leave all bolts loose for later adjustment unless otherwise specified.
- Use caution to avoid damaging the factory installed threaded inserts. Begin the bolt engagement by hand to guard against potential cross threading.

**Tools Required:**

- T40 Torx driver
- Ratchet with 3/8", 7/16", 1/2" and 9/16" sockets
- (Optional) Air or electric powered socket driver
- NOTE: Powered driver is not recommended for bolts into threaded inserts in the roof and rear frame.
- 3/8", 7/16" and 1/2" and 9/16" open-end wrenches
- 5/32", 3/16" and 7/32" Allen wrenches or drivers.
- Power hand drill and 5/16" drill bit.

**SAFETY INFORMATION:****WARNING**

Cabs and general accessories add additional weight to the base vehicle. Deduct the accessory's total weight from the vehicle's rated capacity including driver and passenger. Never operate the vehicle outside of its rated weight capacity. Total weight of Range Enclosure assembly is approximately 200 lbs (90.7kg).

**WARNING****Exposure to Carbon Monoxide can cause illness, serious injury or death.**


Never operate vehicle if suspicious of Carbon Monoxide. Inspect exhaust system for leaks monthly. Leaks can result from loose connections, corrosion, cracks or other damage to the exhaust manifold. If leaks are found, repair or replace exhaust system. Do not use vehicle until repair or replacement is complete.

**WARNING****Serious injury or death:**


This cab enclosure does not provide protection from lightning or other storm-related hazards. When lightning threatens, take cover and do not operate vehicle.

**WARNING**


Damaged doors and windows do not provide protection from golf ball impact. Do not use vehicle until repair or replacement is complete.

**PARTS INCLUDED IN THIS KIT:**

**8SV-109-00007-R**  
SIDE FRAME  
RIGHT




**8SV-CABC09L-B4**  
SIDE FRAME  
LEFT



**8SV-CABC01-B4**  
ROOF ASSEMBLY




**8SV-CABC03-B4** WINDSHIELD SUPPORT




**8SV-CABC07R-B4**  
DOOR, RIGHT  
(Mounted to side frame)

**8SV-CABC07L-B4**  
DOOR, LEFT  
(Mounted to side frame)




**8SV-CA05-B4** UPPER REAR PANEL



**8SV-CA04-B4**  
LOWER REAR PANEL

**CONTINUED ON PAGE 3**

# PARTS IN THIS KIT (Continued):



**8SV-CABC02**  
WINDSHIELD




**8SV-CABC06**  
REAR WINDOW



**8SV-WA-00366**  
(QTY: 6)  
REAR WINDOW  
BRACKETS



**9SV-GS05**  
GAS SHOCKS  
14-1/2" long, 100N  
(set of 2)



**9SV-PR1** (QTY: 2)  
SEAT BELTS, RETRACTOR &  
LATCH



1" Dome Plugs  
(QTY: 2)

1/2" x 9/16" Foam Rubber  
2 PCS, 31" Long

**9SV-PR43-4** (4-Foot Length)



1/2" V-Groove Weather Seal  
2 PCS, 50" Long

**9SV-PR20-10** (10-Foot Length)

QTY: (2)  
Seat Belt  
Angle Bracket



QTY: (6)  
7/16-20  
Lock Nut

QTY: (2)  
7/16" SAE  
Flat Washer

QTY: (2)  
7/16" x 2"OD  
Seat Belt Washer


**9SV-HWK-00039**  
SEAT BELT  
HARDWARE KIT

QTY: (2)  
3/8-16 x 1-1/4"  
Button Head Bolt



QTY: (4)  
1/4-20 x 2-1/4"  
Flanged Hex Bolt

QTY: (6)  
5/16-18 x 1"  
Flanged Hex  
Bolt



QTY: (2)  
3/8" SAE Flat  
Washer



QTY: (8)  
1/4" x 1"OD  
Fender Washer




QTY: (24)  
5/16-18 x 3/4"  
Flanged Hex Bolt

QTY: (18)  
5/16-18 Flanged  
Lock Nut




QTY: (4)  
1/4-20 Flanged  
Lock Nut



**CA-HWK**  
CARRYALL HARDWARE KIT


QTY: (6)  
1/4-20 x 1-1/2"  
Flanged Hex Bolt




QTY: (6)  
1/4-20 Flanged Lock Nut



QTY: (2)  
5/16-18 x 3/4"  
Flanged Hex  
Bolt



QTY: (12, Steel)  
QTY: (6, Rubber)  
1/4" x 1"OD  
Fender Washer



QTY: (2)  
5/16-18  
Flanged Lock  
Nut




QTY: (6)  
1/4-20 x 3/4"  
BTN Head Bolt



**CABC-HWK**  
CARRYALL RANGE CAB  
HARDWARE KIT



**9DL-213**  
ROPS  
Certification  
Decal



**9DL-158**  
Tilt Bed Warning Decal



**9DL-186**  
Gas/Fire Warning Decal

## ADDITIONAL SERVICE PARTS:

- **9SV-RG**..... Rubber Window Grommets, set of 12
- **9SV-HSLP**..... Hinge Set with 1 each left and right hinge pins and 2 sleeves
- **9SV-OHRL**..... Outer Door Handle, set of 2
- **9SV-DL02**..... Door Latch kit, non-locking w/ grab handle (set of left/right)
- **8SV-SM-00105**..... Door Latch Mounts (set of left/right)
- **9SV-GS02A**..... Ball Studs, 10mm (bag of 10)
- **9SV-DSTRH**..... Door Striker hardware
- **9SV-PRO2-15**..... Standard Bulb Rubber, (5/8"), 15-Foot Length
- **9SV-PR38-15**..... 3/4" Side Bulb Rubber 1/4" grip, 15-Foot Length
- **8SV-CA01P**..... Plastic Roof Panel
- **8SV-CA01M-B4**..... Metal Roof Panel
- **8SV-SM00182**..... Gas Spring Mount, Bolt On